




| Dimensioni della fossa settica  | NUMERO DI PERSONE SERVITE |       |       |       |       |       |       |
|---------------------------------|---------------------------|-------|-------|-------|-------|-------|-------|
|                                 | 1-5                       | 10-14 | 19-20 | 21-25 | 26-30 | 31-35 | 36-40 |
| a - Lunghezza 1° Camera         | 1.85                      | 2.15  | 2.50  | 2.75  | 2.90  | 3.05  | 3.20  |
| b - " " 2° "                    | 0.70                      | 0.85  | 1.00  | 1.15  | 1.20  | 1.30  | 1.40  |
| c - " " 3° "                    | 0.70                      | 0.85  | 1.00  | 1.15  | 1.20  | 1.30  | 1.40  |
| d - Larghezza complessiva fossa | 1.20                      | 1.55  | 1.60  | 1.75  | 1.80  | 1.85  | 1.85  |
| e - " " utile camera            | 0.75                      | 1.10  | 1.25  | 1.40  | 1.45  | 1.50  | 1.60  |
| f - Altezza esterna fossa       | 1.60                      | 1.60  | 1.60  | 1.75  | 1.80  | 1.85  | 1.85  |
| g - " " Liquido                 | 1.20                      | 1.20  | 1.20  | 1.30  | 1.35  | 1.40  | 1.45  |
| h - " " utile fossa             | 1.50                      | 1.50  | 1.50  | 1.60  | 1.65  | 1.70  | 1.75  |
| i - Lunghezza totale fossa      | 4.05                      | 4.65  | 5.30  | 5.85  | 6.10  | 6.45  | 6.80  |



SEZIONE A-B

Fossa settica a 3 Camere



SEZIONE A-B

Pozzetto a perdere

*Sup. protante  
inf. 0.15  
a piana*

Dott. Ing. Nicola Donatelli  
*Nicola Donatelli*