

**PLANIMETRIA**

FASCIA PERCETTIBILE AI NON VEDENTI

Diagram showing the plan view of the tactile paving strip. The strip is rectangular, measuring 175 mm in width and 120 mm in length. It features a blue square with a white wheelchair symbol. The strip is positioned within a larger rectangular area, with dimensions 200 mm and 120 mm indicated. A dashed line indicates the strip's position relative to the curb.

**SEZIONE TIPO**

Diagram showing the cross-section of the tactile paving strip. The strip is shown installed in a curb. The strip is 120 mm high and 175 mm wide. The curb height is 120 mm. The strip is made of a material with a tolerance of 0.8 mm. The strip is labeled 'autocallamento tolleranza mm. 0.8' and 'pavimento ribaltabile'. Other labels include 'segnalazione sonora d'arrivo', 'porte automatiche', 'bottoniera con numerazione in rilievo a braille', 'interruttore di emergenza', 'luce di emergenza', 'manica', and '50'.

PLANIMETRIA

4.50  
CAMERA  
MONDIALE  
SUP. NETTA MQ. 38

15  
100  
175  
240  
3.08  
TERRAZZA  
MQ. 13

ANGOLO  
COTTURA

SEZ1

140  
150  
120  
140  
2.25  
60  
680  
RAMPA  
Pendenza 8%  
SVILUPPO ML. 10,00

SEZIONE 1

CORRIDOIO A TUBO

CORRIDOIO

CORRICOLO IN C.A.

INTERRASO  
ANTI-SOLZ-LIVELLO

150  
20

The floor plan shows a symmetrical layout with a central corridor and two main wings. The left wing contains a large living area with a fireplace, a dining area, and a kitchen. The right wing contains a large living area, a dining area, and a kitchen. The central corridor includes a staircase and a bathroom. The plan is detailed with furniture, fixtures, and dimensions. A north arrow is located in the upper right corner. The text 'Pendenza 9% - sviluppo ML 11,70' is written in the lower right corner.

PAVIMENTAZIONE ANTISCIVOLEVOLE

15

GRIGLIA DI RACCOLTA

6

230

PAVIMENTAZIONE ANTISCIVOLEVOLE  
(MATERIALI CON COEFFICIENTE  
DI ATTRITTO MAGGIORE DI 0,40, METODO B.C.R.A.)

GRIGLIA DI RACCOLTA  
(INCASSATE, CON MAGLIA NON SUPERIORE A MM 15)

COMUNE DI CARRARA  
SETTORE URBANISTICA

RICHIESTA PARERE S.U.A.P. PROT. N. 2742 DEL 29/7/07

ELABORATO GRAFICO ALLEGATO AL PARERE DEL 31/10/07

Il Responsabile dell'andoprocedimento  
(Geom. *Dei* Pezzica)

TAR 11/12